ipd4400mdlltsvdTES-10

## **Defense Information Infrastructure (DII)**

## **Common Operating Environment (COE)**

Software Version Description (SVD) for the
Latitude-Longitude-Time (LLT)
Observation Database (MDLLT) Segment of the
Tactical Environmental Support System Next Century
[TESS(NC)]
Meteorology and Oceanography (METOC) Database

**Document Version 4.4** 

**5 February 1999** 

Prepared for:
Naval Research Laboratory
Marine Meteorology Division
Monterey, CA

Prepared by: Integrated Performance Decisions Middletown, RI

ipd4400mdlltsvdTES-10

## **Table of Contents**

1	SCOPE	1
1.1	Identification	1
1.2	System Overview	1
1.3	Product Information	4
1.3.1	Product Qualification	4
1.3.2	Product Restrictions	4
1.3.3	Product Dependencies	4
2	REFERENCED DOCUMENTS	5
2.1	Government Documents	
2.2	Non-Government Documents	
3	VERSION DESCRIPTION	6
3.1	Inventory of materials released	
3.2	Inventory of Software Contents	
3.3	Changes Installed	6
3.4	Waivers	6
3.5	Adaptation Data	6
3.6	Installation Instructions	6
<b>3.7</b>	Possible Problems and Known Errors	6
4	Notes	7
4.1	Glossary of Acronyms	7
Appe	endix A - List of Executables and Environment Files	A-1
Appe	endix B - Changes/Updates Since Preliminary Release	В-1
Appe	endix C - Known Problems and Errors	C-1
	List of Figures	
1-1	TESS(NC) METOC Database Conceptual Organization	3

## 1 SCOPE

#### 1.1 Identification

This Software Version Description (SVD) describes the Latitude–Longitude–Time (LLT) Observation Database (MDLLT) segment, Version 4.4 series, of the Tactical Environmental Support System Next Century [TESS(NC)] Meteorology and Oceanography (METOC) Database. The MDLLT is a DII COE *shared database* segment for the storage of METOC point observations. This software is designed to run under the Defense Information Infrastructure (DII) Common Operating Environment (COE) release 3.1 on a Hewlett-Packard computer running HP-UX 10.20.

## 1.2 System Overview

The software described in this document forms a portion of the METOC Database component of the TESS(NC) Program (Navy Integrated Tactical Environmental Subsystem (NITES) Version I). On 29 October 1996, the Oceanographer of the Navy issued a TESS Program Policy statement in letter 3140 Serial 961/6U570953, modifying the Program by calling for five seamless software versions that are DII COE compliant, preferably to level 5.

The five versions are:

•	NITES Version I	The local data fusion center and principal METOC analysis and
		forecast system (TESS(NC))
•	NITES Version II	The subsystem on the Joint Maritime Command Information System
		$(\mathbf{D}(\mathbf{G}(\mathbf{G})))$

(JMCIS) or Global Command and Control System (GCCS) (NITES/Joint METOC Segment (JMS))

 NITES Version III The unclassified aviation forecast, briefing, and display subsystem tailored to Naval METOC shore activities (currently satisfied by the Meteorological Integrated Data Display System (MIDDS))

• NITES Version IV The Portable subsystem composed of independent Personal Computers (PCs)/workstations and modules for forecaster, satellite, communications, and Integrated Command, Control, Communications, Computer, and Intelligence Surveillance Reconnaissance (IC4ISR) functions (currently the Interim Mobile Oceanographic Support System (IMOSS))

• NITES Version V Foreign Military Sales (currently satisfied by the Allied Environmental Support System (AESS))

ipd4400mdlltsvdTES-10

NITES I acquires and assimilates various METOC data for use by US Navy and Marine Corps weather forecasters and tactical planners. NITES I provides these users with METOC data, products, and applications necessary to support the warfighter in tactical operations and decision making. NITES I provides METOC data and products to NITES I and II applications, as well as non-TESS(NC) systems requiring METOC data, in a heterogeneous, networked computing environment.

The TESS(NC) Concept of Operations and system architecture require that the METOC Database be distributed both in terms of application access to METOC data and products and in terms of physical location of the data repositories. The organizational structure of the database is influenced by these requirements, and the components of this distributed database are described below.

In accordance with DII COE database concepts, the METOC Database is composed of six DII COE-compliant *shared database* segments. Associated with each shared database segment is an Application Program Interface (API) segment. The segments are arranged by data type as follows:

<u>Data Type</u>	<b>Data Segment</b>	API Segment
Grid Fields	MDGRID	MAGRID
LLT Observations	MDLLT	MALLT
Textual Observations and Bulletins	MDTXT	MATXT
Remotely Sensed Data	MDREM	MAREM
Imagery	MDIMG	MAIMG
Climatology Data	MDCLIM	MACLIM

A typical client-server installation is depicted in Figure 1-1 on the next page. This shows the shared database segments residing on a DII COE SHADE database server, with a NITES I or II client machine hosting the API segments. Communication between API segments and shared database segments is accomplished over the network using American National Standards Institute (ANSI)-standard Structured Query Language (SQL).




Figure 1-1. TESS(NC) METOC Database Conceptual Organization

The MDLLT segment deals with point observations. These include surface weather observations (hourlies, specials, synoptic observations, METAR reports, Terminal Aerodrome Forecasts (TAFs), etc.), upper air observations (e.g., radiosonde reports, aircraft observations), and ocean soundings (bathythermograph, sound velocity profiles, etc.). For upper air and ocean soundings, the database may also store data derived from the original soundings in the form of upper air profiles and ocean profiles.

## 1.3 Product Information

### 1.3.1 Product Qualification

Test and Evaluation (T&E) of the software was performed at the Integrated Performance Decisions (IPD) facility in Middletown, RI, prior to delivery of the software.

#### 1.3.2 Product Restrictions

IPD's intellectual property rights to deliverables defined in this document are covered by the copyright license under the clause in DFARS 252.227-7013 (Nov. 1995).

## 1.3.3 Product Dependencies

The MDLLT segment is hosted on the following hardware:

Tactical Advanced Computer, TAC-3 (HP 750/755)/TAC-4 (HP J210)

The operating system requirements are:

• TAC-3/TAC-4: HP-UX 10.20

The kernel requirements are:

• Kernel 3.0.1.0 with patches through P4

The following software must be properly installed prior to loading the MDLLT segment:

- Appropriate operating system (as described above)
- Appropriate DII COE Kernel (as described above)
- DII COE Informix Connect Segment (INFXCN), version 1.0.1.0

## 2 REFERENCED DOCUMENTS

## 2.1 Government Documents

Unnumbered

Database Design Description for the Tactical Environmental

Support System/Next Century [TESS(NC)] Meteorological and
Oceanographic (METOC) Database, Space and Naval Warfare

Systems Command, Environmental Systems Program Office

(SPAWAR PMW-185), Washington, DC

ipd4300mdlltipTES-10 Installation Procedures (IP) for the Latitude-Longitude-Time (LLT)
9 October 1998 Observation Database (MDLLT) Segment of the Tactical

Observation Database (MDLLT) Segment of the Tactical Environmental Support System Next Century [TESS(NC)] Meteorology and Oceanography (METOC) Database

## 2.2 Non-Government Documents

None.

## 3 VERSION DESCRIPTION

## 3.1 Inventory of materials released

All physical media and associated documentation for the MDLLT segment are listed below.

- MDLLT segment v4.4.0.0 (HP-UX) Installation Tape (4-mm Digital Audio Tape (DAT) cartridge for TAC-3/TAC-4 hardware)
- MDLLT segment v4.3 series IP, dated 9 October 1998
- MDLLT segment v4.4.0.0 SVD, dated 5 February 1999.

## 3.2 Inventory of Software Contents

A list of all executables and environment files delivered is contained in Appendix A of this document.

## 3.3 Changes Installed

A list of changes installed since the Preliminary (Developer) Release of the MDLLT software is contained in Appendix B of this document.

#### 3.4 Waivers

There are no waivers associated with this software.

## 3.5 Adaptation Data

There are no unique-to-site data contained in the MDLLT 4.4.0.0 release.

#### 3.6 Installation Instructions

The MDLLT segment v4.3 series IP referenced in Section 2 of this document provides comprehensive installation instructions for the MDLLT segment. The fully installed segment occupies approximately 1.52 MB of disk space. The software requires a minimum of 128 MB of RAM, with 192 MB recommended.

#### 3.7 Possible Problems and Known Errors

Known problems and errors with MDLLT software are listed in Appendix C of this document.

ipd4400mdlltsvdTES-10

## 4 Notes

## 4.1 Glossary of Acronyms

AESS Allied Environmental Support System

ANSI American National Standards Institute

API Application Program Interface

COE Common Operating Environment

DAT Digital Audio Tape

DII Defense Information Infrastructure

GCCS Global Command and Control System

IC4ISR Integrated Command, Control, Communications, Computer, and Intelligence

Surveillance Reconnaissance

IMOSS Interim Mobile Oceanographic Support System

INFXCN Informix Connect Segment

IP Installation Procedures

IPD Integrated Performance Decisions

JMCIS Joint Maritime Command Information System

JMS Joint METOC Segment

LLT Latitude-Longitude-Time

MDLLT LLT Observation Database Segment of the TESS(NC) METOC Database

METOC Meteorology and Oceanography

MIDDS Meteorological Integrated Data Display System

NC Next Century

NITES Navy Integrated Tactical Environmental Subsystem

PC Personal Computer

PTR Program Trouble Report

ipd4400mdlltsvdTES-10

SQL Structured Query Language

SVD Software Version Description

T&E Test and Evaluation

TAF Terminal Aerodrome Forecast

TESS Tactical Environmental Support System

## **Appendix A - List of Executables and Environment Files**

## A.1 File Structure for HP-UX Delivery

```
total 14
 drwxrwxr-x
                                   2 sysadmin COE
                                                                                        1024 Feb 12 12:39 bin
drwxrwxr-x2 sysadminCOE1024Feb 12 12:39 datadrwxrwxr-x3 sysadminCOE1024Feb 12 12:39 installdrwxrwxr-x2 sysadminCOE1024Feb 12 12:39 Scriptsdrwxrwxr-x2 sysadminCOE1024Feb 12 12:42 SegDescrip
 /h/MDLLT/bin:
 total 6
                                                                                           263 Feb 12 10:48 MDLLTGetDBSize
 -r-xr-xr-x 1 sysadmin COE
 /h/MDLLT/data:
 total 2834
/h/MDLLT/install:
 total 18
-r-xr-xr-x 1 sysadmin COE 4770 Feb 12 10:48 install_mdllt
-r-xr-xr-x 1 sysadmin COE 569 Feb 12 10:48 deinstall_mdl
drwxrwxr-x 2 sysadmin COE 1024 Feb 12 12:39 sql
                                                                                       569 Feb 12 10:48 deinstall_mdllt
 /h/MDLLT/install/sql:
 total 106
 -r-xr-xr-x 1 sysadmin COE
                                                                                        1988 Feb 12 10:48 MDLLT_ObSubTypes_Scripts
-r-xr-xr-x 1 sysadmin COE 2499 Feb 12 10:48 MDLLT_AOI_Scripts
-r-xr-xr-x 1 sysadmin COE 2834 Feb 12 10:48 MDLLT_ColAreas_Scripts
-r-xr-xr-x 1 sysadmin COE 1861 Feb 12 10:48 MDLLT_ObTypes_Scripts
 -r--r--r-- 1 sysadmin COE
                                                                                       81 Feb 12 10:48 mdllt_aoi.cmd
 -r-xr-xr-x 1 sysadmin COE 1551 Feb 12 10:48 mdllt_cds_scripts
-r-xr-xr-x 1 sysadmin COE 5382 Feb 12 10:48 MDLLT_crttable_Scripts

        -r-xr-xr-x
        1 sysadmin
        COE
        1551
        Feb 12 10:48 mdllt_cds_scripts

        -r-xr-xr-x
        1 sysadmin
        COE
        5382
        Feb 12 10:48 MDLLT_crttable_Scripts

        -r-xr-xr-x
        1 sysadmin
        COE
        11281
        Feb 12 10:48 MDLLT_stationID_Scripts

        -r-xr-xr-x
        1 sysadmin
        COE
        7644
        Feb 12 10:48 MDLLT_dsDir_Scripts

        -r-r-r--
        1 sysadmin
        COE
        97 Feb 12 10:48 Mdllt_dataTypeToSQL.cmd

        -r-r-r--
        1 sysadmin
        COE
        90 Feb 12 10:48 mdllt_drop_file_inf

        -r--r---
        1 sysadmin
        COE
        92 Feb 12 10:48 mdllt_cannedSQL.cmd

        -r--r---
        1 sysadmin
        COE
        88 Feb 12 10:48 mdllt_canned2.cmd

        -r--r----
        1 sysadmin
        COE
        92 Feb 12 10:48 mdllt_colareas.cmd

        -r--r----
        1 sysadmin
        COE
        86 Feb 12 10:48 mdllt_obtypes.cmd

        -r--r----
        1 sysadmin
        COE
        89 Feb 12 10:48 mdllt_obsubtypes.cmd
```

ipd4400mdlltsvdTES-10

-rrr -rrr	1 sysadmin 1 sysadmin 1 sysadmin	COE	93 86 18	Feb 1	2 10:48	mdllt_stationid.cmd mdllt_buoy.cmd mdllt_create_file_inf
/h/MDLLT/Scr total 10 -r-xr-xr-x -r-xr-xr-x	ipts: 1 sysadmin 1 sysadmin		1221 86			.cshrc .cshrc.MDLLT
/h/MDLLT/SegDescrip: total 28						
-rw-rr	1 sysadmin	COE	28	Feb 1	2 10:47	VERSION
-rw-rr	1 sysadmin	COE	958	Feb 1	2 10:47	ReleaseNotes
-rw-rr	1 sysadmin	COE	372	Feb 1	2 10:48	SegName
-rwxr-xr-x	1 sysadmin		655	Feb 1	2 10:48	DEINSTALL
-rwxr-xr-x	1 sysadmin		2127			PostInstall
-rw-rw-rw-	1 sysadmin	other	141	Feb 1	2 12:42	Installed
-rw-rr -rw-rw-r -rw-rw-rw-	1 sysadmir 1 sysadmir 1 sysadmir	COE	251 1526 128	Feb 1	2 13:30	SegInfo FileAttribs Validated

# **Appendix B - Changes/Updates Since Preliminary Release**

This release made the following changes:

Pri	PTR#	Summary
2	132	Block Station IDs in LLT database are invalid.
2	170	ASW Domain is not supported in current implementation of TEDS.
3	124	The data file "station.data" contains an error. The longitude is –816, which is an invalid entry. It has been changed to –81.6 in the flat file. This change should be made in the database.
3	194	Upper air reports parts b and d do not have heights, need to change primary key from height to pressure.
3	195	Need to add station elevation to fixed station reports.
3	197	Buoy needs outer join.
3	206	Obs with negative time values are getting into the database
3	282	Short int is not big enough to handle horizontal visibility in meters.
4	156	Duplicate entries in the Station ID table.

ipd4400mdlltsvdTES-10

## **Appendix C - Known Problems and Errors**

Pri	PTR#	Summary
	307	Missing Station IDs.
3	73	Ship speed and direction need to be added to bathy, buoy, and synoptic reports.
4	294	METAR retrieval is too slow.

Detailed Program Trouble Reports (PTRs) are contained on the following pages.

ipd4400mdlltsvdTES-10

# **Program Trouble Report**

Report Number: 307

**Originator Information** 

Author: Christine Raulli Created: 02/12/99

Site: NP Employer:

Phone: E-mail: craulli

Cross Ref#:

**System Information** 

Priority Category Type Status

Problem Software

**Open Systems** 

 System
 Version
 Platform
 Date

 TESS(NC)-LLT
 4.3
 HPUX 1020
 02/12/99

Modules: MDLLT

Module Functions or other Identifying Keywords:

**Description of the Problem** 

One Line Problem Summary:

Missing Station Ids

Steps Required to Duplicate the Problem:

Repeatable? Yes Likelihood of Occurrence:

**Problem Description:** 

PTR XL00005 contains a list of missing ICAO Stations. Most of the named stations were found at <a href="http://www.airnav.com/cgi-bin/airport-info">http://www.airnav.com/cgi-bin/airport-info</a>.

They have been added to the ICAO table.

The following ICAO's have not been found:

KDMH KĞNR KGNA MDHE KSNT KGSM SYCJ KFGN KOQT KCQC K9 TXKF KMQE KCDJ KSPD MMPA

Originator's Recommendation:

PTR Assignment (if known)

Responsible Engineer(s):

Verified By: Date Verified:

ipd4400mdlltsvdTES-10

# **Program Trouble Report**

Report Number: 73

**Originator Information** 

 Author:
 Michael Sacauskis
 Created:
 05/06/98

 Site:
 MC
 Employer:
 IPD

 Phone:
 408.375.2693
 E-mail:
 msacausk

Cross Ref#:

### **System Information**

PriorityCategoryTypeStatus3ProblemSoftwareNew

#### **Open Systems**

System	Version	Platform	Date
TESS(NC)-LLT	4.1	HPUX 1020 and NT 4.0 (both)	05/06/98
TESS(NC)-LLT	4.1	HPUX 1020 and NT 4.0 (both)	05/06/98

Modules: MDLLT

MALLT

Module Functions or other Identifying Keywords:

#### **Description of the Problem**

One Line Problem Summary:

Ship speed and direction need to be added to bathy, buoy and synoptic reports.

Steps Required to Duplicate the Problem:

Repeatable? Yes Likelihood of Occurrence:

**Problem Description:** 

Schema for buoy, baths, and ship synoptic reports need ship speed and direction added. API software needs to modified to retreive fields as well.

#### Originator's Recommendation:

Add fields to apropriate table definitions so that fields make code mods to store, retrieve and update the fields in the API.

#### PTR Assignment (if known)

Responsible Engineer(s): Michael Sacauskis

Verified By: Date Verified:

ipd4400mdlltsvdTES-10

# **Program Trouble Report**

Report Number: 294

**Originator Information** 

Author: Michael Frost Created: 12/29/98

Site: MC Employer:

Phone: E-mail: mfrost

Cross Ref#:

**System Information** 

Priority Category Type Status

Problem Software

**Open Systems** 

System Version Platform Date
TESS(NC)-LLT 4.3 HPUX 1020 and NT 4.0 and SOLARIS 2.6(all) 12/29/98

Modules: MALLT, MDLLT

Module Functions or other Identifying Keywords:

**Description of the Problem** 

One Line Problem Summary:

METAR retrieval too slow

Steps Required to Duplicate the Problem:

Insert lots of METARS, then retrieve lots of METARS.

Repeatable? Yes Likelihood of Occurrence:

**Problem Description:** 

METAR retrieval too slow

Originator's Recommendation:

PTR Assignment (if known)

Responsible Engineer(s):

**Ned Hole** 

Denise Reniere

Verified By: Date Verified: